रजिस्ट्री सं० डी० एल०-33004/99 REGD. NO. D. L.-33004/99

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 159] नई दिल्ली, शुक्रवार, मार्च 11, 2016/फाल्गुन 21, 1937
No. 159] NEW DELHI, FRIDAY, MARCH 11, 2016/ PHALGUNA 21 , 1937

IndiaCode

## वित्त मंत्रालय

**(आर्थिक कार्य विभाग)**

## अधिसूचना

नई दिल्ली, 9 मार्च, 2016

**सा.का.नि. 292(अ).**—केंद्रीय सरकार, सिक्का निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात:-

1. **संक्षिप्त नाम और प्रारम्भ** :- (1) इन नियमों का नाम (बनारस हिंदू विश्वविद्यालय के जन्मशती समारोह के अवसर पर स्मारक सिक्के जारी करना) सिक्का निर्माण नियम, 2016 है।

   (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे ।

2. **सिक्कों का अंकित मूल्य**-- बनारस हिंदू विश्वविद्यालय के जन्मशती समारोह को मनाने के लिए केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण किया जाएगा, अर्थात :-

   (i) एक सौ रुपये;

   (ii) दस रुपये;

3. **सिक्कों की विमाएं और संरचना** --- नियम 2 में उल्लिखित अंकित मूल्य के सिक्के निम्नलिखित विमाओं और संरचना के अनुरूप होंगे, अर्थात :-

| सिक्के का अंकित मूल्य | आकृति और बाह्य व्यास | दांतों की संख्या | धातु संरचना |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| एक सौ रुपये | वृत्ताकार<br>44 मिलीमीटर | 200 | **चतुर्थक मिश्र धातु**<br>चांदी – 50 प्रतिशत<br>तांबा – 40 प्रतिशत |

| | | | |
|---|---|---|---|
| | | | निकल – 05 प्रतिशत<br>जस्ता – 05 प्रतिशत |
| दस रुपये | वृत्ताकार<br>27 मिलीमीटर<br>(द्वि-धातुक) | - | **बाह्य वलय**<br>(एल्युमिनियम कांसा)<br>तांबा – 92 प्रतिशत<br>एल्युमिनियम- 06 प्रतिशत<br>निकल – 02 प्रतिशत<br>**केंद्रीय भाग**<br>(कूप्रो निकल)<br>तांबा- 75 प्रतिशत<br>निकल – 25 प्रतिशत |

**4. डिज़ाइन–** सिक्कों का डिज़ाइन वह होगा जो इन नियमों की पहली अनुसूची में विनिर्दिष्ट किया गया है।

**5. मानक वजन तथा अनुज्ञात छूट**: निम्नलिखित अंकित मूल्य के सिक्कों का मानक वजन और ऐसे सिक्कों को बनाने में अनुज्ञात छूट वह होगी जो इन नियमों की दूसरी अनुसूची में विनिर्दिष्ट होगी।

**प्रथम अनुसूची**
**(नियम 4 देखें)**

**(i) <u>एक सौ रुपये</u>**

**<u>अग्र भाग</u>**

सिक्कों के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"सत्यमेव जयते"** उत्कीर्णित होगा, उसकी बायीं परिधि पर देवनागरी लिपि में "**भारत**" शब्द और दायीं परिधि पर अंग्रेजी में **"**INDIA**"** शब्द होगा और सिंह शीर्ष के नीचे रुपया का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"100"** भी होगा । इस सिक्के की समूची परिधि पर सीमांत डिजाइन बनाया गया है।

**<u>पृष्ठ भाग</u>**

सिक्के के इस भाग पर विश्वविद्यालय प्रवेश के चित्र के साथ बनारस हिंदू विश्वविद्यालय का लोगो होगा। लागो और विश्वविद्यालय प्रवेश के चित्र के ऊपर देवनागरी में **"शताब्दी वर्ष"** तथा अंग्रजी में CENTENARY YEAR उत्कीर्णित होगा। सिक्के की ऊपरी परिधि पर देवनागरी में **"काशी हिंदू विश्वविद्यालय"** तथा निचली परिधि पर अंग्रजी में "BANARAS HINDU UNIVERSITY" उत्कीर्णित होगा। सिक्के की बायीं तथा दायीं ओर अंतर्राष्ट्रीय अंको में "1916" और "2016" वर्ष लिखा होगा। इस सिक्के की समूची परिधि पर सीमांत डिजाइन बनाया गया है।

**(ii) <u>दस रुपये</u>**

**<u>अग्र भाग</u>**

सिक्के के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"सत्यमेव जयते"** उत्कीर्णित होगा, उसकी बायीं परिधि पर देवनागरी लिपि में **"भारत"** शब्द और दायीं परिधि पर अंग्रेजी में **"**INDIA**"** शब्द होगा और सिंह शीर्ष के नीचे रुपया का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"10"** भी होगा । इस सिक्के की समूची परिधि पर सीमांत डिजाइन बनाया गया है।

IndiaCode

**पृष्ठ भाग**

सिक्के के इस भाग पर विश्वविद्यालय प्रवेश के चित्र के साथ बनारस हिंदू विश्वविद्यालय का लोगो होगा। लागो और विश्वविद्यालय प्रवेश के चित्र के ऊपर देवनागरी में **"शताब्दी वर्ष"** तथा अंग्रजी में CENTENARY YEAR उत्कीर्णित होगा। सिक्के की ऊपरी परिधि पर देवनागरी में **"काशी हिंदू विश्वविद्यालय"** तथा निचली परिधि पर अंग्रजी में "BANARAS HINDU UNIVERSITY" उत्कीर्णित होगा। सिक्के की बायीं तथा दायीं ओर अंतर्राष्ट्रीय अंकों में "1916" और "2016" वर्ष लिखा होगा। इस सिक्के की समूची परिधि पर सीमांत डिजाइन बनाया गया है।

## दूसरी अनुसूची

**(नियम 5 देखें)**

| सिक्के का अंकित मूल्य | मानक वजन | अनुज्ञात छूट | |
|---|---|---|---|
| | | संरचना में | मानक वजन में |
| (1) | (2) | (3) | (4) |
| एक सौ रुपये | 35 ग्राम | चांदी में 1/500वां जोड़ कर या घटा कर अर्थात चाँदी में प्रति 1000 में 498 से 502 तक का अंतर हो सकेगा। | 1/100वां जोड़ कर या घटा कर अर्थात वजन में 34.65 ग्राम से 35.35 ग्राम तक का अंतर हो सकता है। |
| दस रुपये | 7.71 ग्राम (बाह्य वलय 4.45 ग्राम और मध्य भाग 3.26 ग्राम) | बाह्य वलय- (एल्युमिनियम-कांसा) एल्युमिनियम- 5.5 प्रतिशत से 6 प्रतिशत, निकल- 1.75 प्रतिशत से 2 प्रतिशत और शेष तांबा है। मध्य भाग- (कूप्रो- निकल) तांबा और निकल दोनों के लिए 1 प्रतिशत जोड़ कर या घटा कर अर्थात तांबे में 74 प्रतिशत से 76 प्रतिशत और निकल में 24 प्रतिशत से 26 प्रतिशत का अंतर हो सकता है। | 2.5 प्रतिशत जोड़ कर या घटा कर अर्थात वजन में 7.52 ग्राम से 7.90 ग्राम का अंतर हो सकता है। |

[फा. सं. 02/29/2015-सिक्का]

पंकज गुप्ता, अवर सचिव

**MINISTRY OF FINANCE**

**(Department of Economic Affairs)**

**NOTIFICATION**

New Delhi, the 9th March, 2016

**G.S.R. 292(E).—**In exercise of the powers conferred by Section 24 of the Coinage Act, 2011 (11 of 2011), the Central Government hereby makes the following rules, namely:-

1. **Short title and commencement.-** (1) These rules may be called the Coinage (Issue of Commemorative Coins on the occasion of centenary celebration of Banaras Hindu University) Rules, 2016.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. **Denomination of coins.-** The coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government to commemorate the occasion of centenary celebration of Banaras Hindu University, namely:-

(i) One Hundred Rupees; and

(ii) Ten Rupees

3. **Dimension and composition of coins.-** The coins of the denominations mentioned in rule 2 shall conform to the following dimensions and composition, namely:-

| Denomination of the coin | Shape and outside diameter | Number of Serrations | Metal Composition |
|---|---|---|---|
| (1) | (2) | (3) | (4) |
| One Hundred Rupees | Circular 44 millimeter | 200 | Quaternary Alloy<br>Silver - 50 Percent<br>Copper - 40 Percent<br>Nickel - 05 Percent<br>Zinc - 05 Percent |
| Ten Rupees | Circular 27 millimeter (Bi- metallic) | --- | Outer Ring<br>(Aluminium Bronze)<br>Copper - 92 Percent<br>Aluminum- 06 Percent<br>Nickel - 02 Percent<br>Center Piece<br>(Cupro Nickel)<br>Copper – 75 Percent<br>Nickel – 25 Percent |

4. **Design.-**The Design of the coins shall be as specified in the First Schedule to these rules.

5. **Standard weight and remedy allowed**.-Standard weight of the coins of the following denominations, and the remedy allowed in making of such coins shall be as specified in the Second Schedule to these rules.

**The First Schedule**
**(See rule 4)**

**(i) <u>ONE HUNDRED RUPEES-</u>**

**OBVERSE:**

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left periphery with the word **"भारत"** in Devanagari script and on the right

IndiaCode

periphery with the word "INDIA" in English, and it shall also bear the Rupee symbol "₹" and denominational value "**100**" in international numerals below the Lion Capitol. The skirting design is made on entire periphery of this coin.

**REVERSE:**

This face of the coin shall bear the Logo of Banaras Hindu University along with the image of university Entrance. "शताब्दी वर्ष" in Devanagari script and CENTENARY YEAR in English shall be written above the image of Logo and Entrance of university. The inscription "काशी हिन्दू विश्वविद्यालय" in Devanagari script and "BANARAS HINDU UNIVERSITY" in English shall be on upper and lower periphery of the coin respectively. The year "1916" and "2016" in international numerals shall be written at the centre on left and right periphery of the coin respectively. The skirting design is made on entire periphery of this coin.

**(ii) <u>TEN RUPEES-</u>**

**OBVERSE:**

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left periphery with the word "भारत" in Devanagari script and on the right periphery with the word "INDIA" in English, and it shall also bear the Rupee symbol "₹" and denominational value "**10**" in international numerals below the Lion Capitol. The skirting design is made on entire periphery of this coin.

IndiaCode

**REVERSE:**

This face of the coin shall bear the Logo of Banaras Hindu University along with the image of university Entrance. "शताब्दी वर्ष" in Devanagari script and CENTENARY YEAR in English shall be written above the image of Logo and Entrance of university. The inscription "काशी हिन्दू विश्वविद्यालय" in Devanagari script and "BANARAS HINDU UNIVERSITY" in English shall be on upper and lower periphery of the coin respectively. The year "1916" and "2016" in international numerals shall be written at the centre on left and right periphery of the coin respectively. The skirting design is made on entire periphery of this coin.

**The Second Schedule**

**(See rule 5)**

| Denomination of coin | Standard Weight | Remedy Allowed | |
|---|---|---|---|
| | | In composition | In Standard Weight |
| (1) | (2) | (3) | (4) |
| One Hundred Rupees | 35 Grams | 1/500$^{th}$ plus or minus for silver, that is to say the Silver content may vary from 498 to 502 per 1000. | 1/100$^{th}$ plus or minus that is to say, weight could vary from 34.65grams to 35.35 grams. |
| Ten Rupees | 7.71 Grams (Outer Ring 4.45 | Outer Ring (Aluminium Bronze) Aluminium –5.5 percent to 6 percent | Plus or minus 2.5 percent that is to say, weight could vary from |

| | | | |
|---|---|---|---|
| | grams and Centre Piece 3.26 grams) | Nickel – 1.75 percent to 2 percent and remainder are Copper.<br>Centre Piece (Cupro - Nickel)<br>Plus or Minus 1 percent for both Copper and Nickel, that is to say, the Copper may vary from 74 percent to 76 percent and Nickel may vary from 24 percent to 26 percent. | 7.52 grams to 7.90 grams. |

[F. No. 02/29/2015-Coin]

PANKAJ GUPTA, Under Secy.

IndiaCode

Uploaded by the Dte. of Printing at Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.