रजिस्ट्री सं० डी० एल०-33004/99

REGD. NO. D. L.-33004/99

सत्यमेव जयते

भारत का राजपत्र
The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)

PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 458] नई दिल्ली, शुक्रवार, सितम्बर 14, 2012/भाद्र 23, 1934

No. 458] NEW DELHI, FRIDAY, SEPTEMBER 14, 2012/BHADRA 23, 1934

IndiaCode

वित्त मंत्रालय

(आर्थिक कार्य विभाग)

अधिसूचना

नई दिल्ली, 14 सितम्बर, 2012

सा.का.नि. 691(अ).—केन्द्रीय सरकार, सिक्का-निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 की उप-धारा (2) के खंड (घ) और खंड (ङ) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात् :- -

1. संक्षिप्त नाम और प्रारम्भ.—(1) इन नियमों का संक्षिप्त नाम "श्री माता वैष्णो देवी श्राईन बोर्ड की रजत जयंती" के अवसर पर स्मरणोत्सव मनाने के लिए पच्चीस रुपये, दस रुपये और पांच रुपये के सिक्कों का निर्माण नियम, 2012 है ।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे ।

2. (1) "श्री माता वैष्णो देवी श्राईन बोर्ड की रजत जयंती" के अवसर पर स्मरणोत्सव मनाने के लिए केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण किया जाएगा, अर्थात् :—

(क) पच्चीस रुपये;

(ख) दस रुपये;

(ग) पांच रुपये ।

(2) उपरोक्त अंकित मूल्य के सिक्के, निम्नलिखित विमाओं, डिजाइनों और संघटन के अनुरूप होंगे, अर्थात् :—

सिक्के का अंकित मूल्य	आकृति और बाह्य व्यास	क्रकचनों की संख्या	धातु संघटन
(1)	(2)	(3)	(4)
पच्चीस रुपये	वृत्ताकार 44 मिलीमीटर	200	चतुर्थक मिश्रधातु चांदी - 50 तांबा - 40 प्रतिशत निकल - 5 प्रतिशत जस्ता - 5 प्रतिशत

दस रुपये	वृत्ताकार 27 मिलीमीटर (द्वि-धातुक)		बाह्य वलय (एल्युमिनिशम कांसा) तांबा - 92 प्रतिशत एल्युमिनियम - 6 प्रतिशत निकल - 2 प्रतिशत केन्द्रीय भाग (तांबा निकल) तांबा - 75 प्रतिशत निकल - 25 प्रतिशत
पांच रुपये	वृत्ताकार 23 मिलीमीटर	100	निकल पीतल तांबा - 75 प्रतिशत जस्ता - 20 प्रतिशत निकल - 5 प्रतिशत

IndiaCode

डिजाइन

1. पच्चीस रुपये

मुख भाग

सिक्के के मुख भाग पर अशोक स्तंभ का सिंह शीर्ष होगा, जिसके नीचे "**सत्यमेव जयते**" मुद्रा-लेख उत्कीर्त होगा, उसकी बांई परिधि पर देवनागरी लिपि में "**भारत**" शब्द और दाहिनी परिधि पर अंग्रेजी में "INDIA" शब्द होगा। इस पर सिंह शीर्ष के नीचे रुपये का प्रतीक " ₹ " और अंतर्राष्ट्रीय अंकों में अंकित मूल्य "25" भी होगा ।

पृष्ठ भाग

सिक्के के मुख भाग पर ऊपरी परिधि पर देवनागरी लिपि में उत्कीर्ण **"श्री माता वैष्णो देवी श्राईन बोर्ड"** और निचली परिधि पर अंग्रेजी में **"SRI MATA VAISHNO DEVI SHRINE BOARD"** सहित मध्य में "MÁTA VAISHNO DEVI" का चित्र होगा । चित्र के नीचे वर्ष "2012" और वर्ष के नीचे शब्द "SILVER JUBILEE" उत्कीर्त होंगे ।

2. दस रुपये

मुख भाग

सिक्के के मुख भाग पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे "**सत्यमेव जयते**" मुद्रा-लेख उत्कीर्त होगा, उसकी बांई परिधि पर बगल में देवनागरी लिपि में "**भारत**" शब्द और दांई परिधि पर बगल में अंग्रेजी में "INDIA" शब्द होगा । इस पर सिंह शीर्ष के नीचे रुपये का प्रतीक " ₹ " और अंतर्राष्ट्रीय अंकों में अंकित मूल्य "10" भी होगा ।

पृष्ठ भाग

सिक्के के मुख भाग पर ऊपरी परिधि पर देवनागरी लिपि में उत्कीर्ण **"श्री माता वैष्णो देवी श्राईन बोर्ड"** और निचली परिधि पर अंग्रेजी में **"SRI MATA VAISHNO DEVI SHRINE BOARD"** सहित मध्य में "MATA VAISHNO DEVI" का चित्र होगा । चित्र के नीचे वर्ष "2012" और वर्ष के नीचे शब्द "SILVER JUBILEE" उत्कीर्त होंगे ।

3. पांच रुपये

मुख भाग

सिक्के के मुख भाग पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे "**सत्यमेव जयते**" मुद्रा-लेख उत्कीर्त होगा, उसकी बांई परिधि पर बगल में देवनागरी लिपि में "**भारत**" शब्द और दांई परिधि पर बगल में अंग्रेजी में "INDIA" शब्द होगा । इस पर सिंह शीर्ष के नीचे रुपये का प्रतीक " ₹ " और अंतर्राष्ट्रीय अंकों में अंकित मूल्य "5" भी होगा ।

पृष्ठ भाग

सिक्के के मुख भाग पर ऊपरी परिधि पर देवनागरी लिपि में उत्कीर्ण **"श्री माता वैष्णो देवी श्राईन बोर्ड"** और निचली परिधि पर अंग्रेजी में **"SRI MATA VAISHNO DEVI SHRINE BOARD"** सहित मध्य में "MATA VAISHNO DEVI" का चित्र होगा । चित्र के नीचे वर्ष "2012" और वर्ष के नीचे शब्द "SILVER JUBILEE" उत्कीर्त होंगे ।

3. **मानक वजन तथा अनुज्ञात उपचार :-- "श्री माता वैष्णो देवी श्राईन बोर्ड की रजत जयंती"** के अवसर पर स्मरणोत्सव मनाने के लिए निम्नलिखित अंकित मूल्य के सिक्कों का मानक वजन और ऐसे सिक्कों को बनाने में अनुज्ञात उपचार निम्नलिखित सारणी में यथाविनिर्दिष्ट रूप में होगा, अर्थात् :--

IndiaCode

सारणी

सिक्के का अंकित मूल्य	मानक वजन	अनुज्ञात उपचार	
		संघटन में	मानक वजन में
(1)	(2)	(3)	(4)
पच्चीस रुपये	35 ग्राम	चांदी में 1/500वां जोड़ कर या घटा कर अर्थात् चांदी में प्रति 1000 में 498 से 502 तक का अंतर हो सकेगा ।	1/100वां जोड़ कर या घटा कर अर्थात् वजन में 34.65 ग्राम से 35.35 ग्राम तक का अंतर हो सकता है ।
दस रुपये (द्वि-धातुक)	7.71 ग्राम (बाह्य वलय 4.45 ग्राम और मध्य भाग 3.26 ग्राम)	बाह्य वलय- (एल्युमिनियम कांसा) एल्युमिनियम - 5.5 प्रतिशत से 6 प्रतिशत, निकल - 1.75 प्रतिशत से 2 प्रतिशत और शेष तांबा है । मध्य भाग -(तांबा निकल) तांबा और निकल दोनों के लिए 1 प्रतिशत जोड़ कर या घटा कर अर्थात् तांबे में 74 प्रतिशत से 76 प्रतिशत और निकल में 24 प्रतिशत से 26 प्रतिशत का अंतर हो सकता है ।	2.5 प्रतिशत जोड़ कर या घटा कर अर्थात् वजन में 7.52 ग्राम से 7.90 ग्राम का अंतर हो सकता है ।
पांच रुपये	6 ग्राम	तांबा और जस्ता के लिए 1/100वां कम या ज्यादा अर्थात तांबे में 74 से 76 प्रतिशत तक और जस्ते में 19 प्रतिशत से 21प्रतिशत तक का अंतर हो सकता है और निकल के लिए 1/200वां तक जोड़ कर या घटा कर अर्थात् निकल में 4.5 प्रतिशत से 5.5 प्रतिशत तक का अंतर हो सकता है ।	1/40वां जोड़ कर या घटा कर अर्थात् वजन से 5.85 ग्राम से 6.15 ग्राम तक का अंतर हो सकता है ।

[फा. सं. 02/05/2012-सिक्का]

अरुण सोबती, अवर सचिव (सी एंड सी)

MINISTRY OF FINANCE

(Department of Economic Affairs)

NOTIFICATION

New Delhi, the 14th September, 2012

G.S.R. 691(E).—In exercise of the powers conferred by clauses (d) and (e) of sub-section (2) of section 24 of the Coinage Act, 2011 (11 of 2011), the Central Government hereby makes the following rules, namely:

1. **Short title and commencement** : (1) These rules may be called the coinage of Twenty Five Rupees, Ten Rupees and Five Rupees coins to commemorate the occasion of "SILVER JUBILEE OF SHRI MATA VAISHNO DEVI SHRINE BOARD" Rules, 2012.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. (1) The coins of the following denominations shall be coined at the Mint for issue under the authority of the Central Government to commemorate the occasion of **"SILVER JUBILEE OF SHRI MATA VAISHNO DEVI SHRINE BOARD"**, namely:

(a) Twenty Five Rupees;

(b) Ten Rupees;

(c) Five Rupees;

(2) the coins of the above denominations shall conform to the following dimensions, designs and composition, namely:

Denomination of the coin	Shape and outside diameter	Number of Serrations	Metal Composition
(1)	(2)	(3)	(4)
Twenty Five Rupees	Circular 44 millimeters	200	**Quaternary Alloy** Silver – 50 percent Copper – 40 percent Nickel – 5 percent Zinc – 5 percent
Ten Rupees	Circular 27 millimeters (Bi-metallic)		**Outer Ring** **(Aluminium Bronze)** Copper – 92 percent Aluminium – 6 percent Nickel – 2 percent **Center Piece** (Cupro Nickel) Copper – 75 percent Nickel – 25 percent
Five Rupees	Circular 23 millimeter	100	Nickel Brass Copper – 75 percent Zinc – 20 percent Nickel – 5 percent

IndiaCode

DESIGN

1. TWENTY FIVE RUPEES

OBVERSE

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते " inscribed below, flanked on the left periphery with the word "भारत" in Devnagri script and on the right periphery flanked with the word "INDIA" in English. It shall also bear the Rupee symbol "₹" and denominational value "25" in International Numerals below the Lion Capitol.

REVERSE

The face of the coin shall bear the picture of "MATA VAISHNO DEVI" in the centre, with inscription **" श्री माता वैष्णो देवी श्राईन बोर्ड"** in Devnagri script on the upper periphery and **"SHRI MATA VAISHNO DEVI SHRINE BOARD"** in English on the lower periphery. The year "2012" shall be inscribed below the picture and words "SILVER JUBILEE" below the year.

2. TEN RUPEES

OBVERSE

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते " inscribed below, flanked on the left periphery with the word "भारत" in Devnagri script and on the right periphery flanked with the word "INDIA" in English. It shall also bear the Rupee symbol "₹" and denominational value "10" in International Numerals below the Lion Capitol.

REVERSE

The face of the coin shall bear the picture of "MATA VAISHNO DEVI" in the centre, with inscription **" श्री माता वैष्णो देवी श्राईन बोर्ड"** in Devnagri script on the upper periphery and **"SHRI MATA VAISHNO DEVI SHRINE BOARD"** in English on the lower periphery. The year "2012" shall be inscribed below the picture and words "SILVER JUBILEE" below the year.

3. FIVE RUPEES

OBVERSE

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते " inscribed below, flanked on the left periphery with the word "भारत" in Devnagri script and on the right periphery flanked with the word "INDIA" in English. It shall also bear the Rupee symbol "₹" and denominational value "5" in International Numerals below the Lion Capitol.

REVERSE

The face of the coin shall bear the picture of "MATA VAISHNO DEVI" in the centre, with inscription **" श्री माता वैष्णो देवी श्राईन बोर्ड"** in Devnagri script on the upper periphery and **"SHRI MATA VAISHNO DEVI SHRINE BOARD"** in English on the lower periphery. The year "2012" shall be inscribed below the picture and words "SILVER JUBILEE" below the year.

IndiaCode

3. **Standard weight and remedy allowed:** - The standard weight of the coins of the following denominations, coined to commemorate the "**SILVER JUBILEE OF SHRI MATA VAISHNO DEVI SHRINE BOARD**" and the remedy allowed in making of such coins shall be as specified in the following Table, namely: -

TABLE

Denomination of the coin	Standard Weight	Remedy Allowed	
		In Composition	In Standard Weight
(1)	(2)	(3)	(4)
Twenty Five Rupees	35 Grams	1/500th plus or minus for silver, that is to say the Silver content may vary from 498 to 502 per 1000 .	1/100th plus or minus that is to say, the weight could vary from 34.65 grams to 35.35 grams.
Ten Rupees (Bi-Metallic)	7.71 Grams (Outer ring – 4.45 grams and Centre Piece 3.26 grams)	Outer Ring - (Aluminium Bronze) Aluminium 5.5 percent to 6 percent, Nickel – 1.75 percent to 2 percent and remainder are Copper. Centre Piece – (Cupro Nickel) Plus or minus 1 percent for both Copper and Nickel that is to say, the Copper may vary from 74 percent to 76 percent and Nickel from 24 percent to 26 percent.	Plus or minus 2.5 percent that is to say, the weight could vary from 7.52 grams to 7.90 grams.
Five Rupees	6 Grams	1/100th plus or minus for Copper and Zinc, that is to say, Copper could vary from 74 percent to 76 percent and Zinc from 19 percent to 21 percent and 1/200th plus or minus for Nickel that is to say Nickel could vary from 4.5 percent to 5.5 percent.	1/40th plus or minus that is to say, the weight could vary from 5.85 grams to 6.15 grams.

[F. No. 02/05/2012-Coin]

ARUN SOBTI, Under Secy. (C and C)

Printed by the Manager, Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.