रजिस्ट्री सं० डी० एल० 33004/99 REGD. NO. D. L.-33004/99

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 422] नई दिल्ली, बृहस्पतिवार, अगस्त 23, 2012/भाद्र 1, 1934
No. 422] NEW DELHI, THURSDAY, AUGUST 23, 2012/BHADRA 1, 1934

IndiaCode

वित्त मंत्रालय

(आर्थिक कार्य विभाग)

अधिसूचना

नई दिल्ली, 23 अगस्त, 2012

सा.का.नि. 648(अ). केन्द्रीय सरकार, सिक्का-निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 की उपधारा (2) के खंड (घ) और खंड (ङ) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, और पूर्वतर अधिसूचना संख्यांक सा.का.नि.667(अ) तारीख 11 अगस्त, 2010 और का.आ.1970(अ) तारीख 11 अगस्त, 2010 को उन बातों के सिवाय अधिक्रांत करते हुए, जिन्हें ऐसे अधिक्रमण से पूर्व किया गया है या करने का लोप किया गया है, निम्नलिखित नियम बनाती है, अर्थात् :--

1. संक्षिप्त नाम और प्रारंभ :--(1) इन नियमों का संक्षिप्त नाम "कूका आंदोलन के 150 वर्ष" के अवसर पर स्मरणोत्सव मनाने के लिए एक सौ रुपये और पांच रुपये के सिक्कों का निर्माण नियम, 2012 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे ।

2. "कूका आंदोलन के 150 वर्ष" के अवसर का स्मरणोत्सव मनाने के लिए केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण किया जाएगा, अर्थात् :--

(क) एक सौ रुपये ;

(ख) पांच रुपये ;

3. नियम 3 में निर्दिष्ट उपरोक्त अंकित मूल्य के सिक्के, निम्नलिखित विमाओं, डिजाइन और संघटन के अनुरूप होंगे, अर्थात्:--

सिक्के का अंकित मूल्य	आकृति और बाह्य व्यास	क्रकचनों की संख्या	धातु संघटन
(1)	(2)	(3)	(4)
एक सौ रुपये	वृत्ताकार 44 मिलीमीटर	200	**चतुर्थक मिश्रधातु** चांदी - 50% तांबा - 40% निकैल - 5% जस्ता - 5%
पांच रुपये	वृत्ताकार 23 मिलीमीटर	100	**निकैल पीतल** तांबा - 75% जस्ता - 20% निकैल - 5%

डिजाइन

1. एक सौ रुपये

मुख भाग

सिक्के के मुख भाग पर अशोक स्तंभ का सिंह शीर्ष होगा, जिसके नीचे "**सत्यमेव जयते**" मुद्रा-लेख उत्कीर्त होगा, उसकी बांई परिधि पर देवनागरी लिपि में "**भारत**" शब्द और दाहिनी परिधि पर अंग्रेजी में "INDIA" शब्द होगा। इस पर सिंह शीर्ष के नीचे रुपये का प्रतीक " ₹ " और अंतर्राष्ट्रीय अंकों में अंकित मूल्य "100" भी होगा ।

पृष्ठ भाग

सिक्के के मुख भाग पर बाह्य बांई परिधि पर देवनागरी लिपि में **"कूका आंदोलन के 150 वर्ष"** और बाह्य दाहिनी परिधि पर अंग्रेजी में **"150 YEARS OF KUKA MOVEMENT"** उत्कीर्ण सहित मध्य में, **"सतगुरू रामसिंह जी"** का, बांई तरफ उनके अनुयायियों का फांसी पर लटकने का और दाहिनी तरफ तोप के मुख के सामने खड़े होने का संयुक्त चित्र होगा । देवनागरी लिपि में उत्कीर्ण **"सतगुरू रामसिंह जी"** चित्र के ऊपर बांई आंतरिक परिधि पर दर्शाया जाएगा और बगल में अंग्रेजी में उत्कीर्ण "SATGURU RAM SINGH JI" दाहिनी आंतरिक परिधि पर होगा । वर्ष अंक "1857-2007" चित्र के नीचे अंतरराष्ट्रीय अंकों में दर्शाया जाएगा ।

2. पांच रुपये

मुख भाग

सिक्के के मुख भाग पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे "**सत्यमेव जयते**" मुद्रा-लेख उत्कीर्त होगा, उसकी बांई परिधि पर बगल में देवनागरी लिपि में "**भारत**" शब्द और दांई परिधि पर

IndiaCode

बगल में अंग्रेजी में "INDIA" शब्द होगा । इस पर सिंह शीर्ष के नीचे रुपये का प्रतीक " ₹ " और अंतर्राष्ट्रीय अंकों में अंकित मूल्य "5" भी होगा ।

पृष्ठ भाग

सिक्के के मुख भाग पर बाह्य बांई परिधि पर देवनागरी लिपि में **"कूका आंदोलन के 150 वर्ष"** और बाह्य दाहिनी परिधि पर अंग्रेजी में **"150 YEARS OF KUKA MOVEMENT"** उत्कीर्ण सहित मध्य में, **"सतगुरू रामसिंह जी"** का, बांई तरफ उनके अनुयायियों का फांसी पर लटकने का और दाहिनी तरफ तोप के मुख के सामने खड़े होने का संयुक्त चित्र होगा । देवनागरी लिपि में उत्कीर्ण **"सतगुरू रामसिंह जी"** चित्र के ऊपर बांई आंतरिक परिधि पर दर्शाया जाएगा और बगल में अंग्रेजी में उत्कीर्ण "SATGURU RAM SINGH JI" दाहिनी आंतरिक परिधि पर होगा । वर्ष अंक "1857-2007" चित्र के नीचे अंतरराष्ट्रीय अंकों में दर्शाया जाएगा ।

4. **मानक वजन तथा अनुज्ञात उपचार** :- अंकित मूल्य के सिक्कों का मानक वजन और ऐसे सिक्कों को बनाने में अनुज्ञात उपचार निम्नलिखित सारणी में यथाविनिर्दिष्ट रूप में होगा, अर्थात् :--

सारणी

सिक्के का अंकित मूल्य	मानक वजन	अनुज्ञात उपचार	
		संघटन में	मानक वजन में
(1)	(2)	(3)	(4)
एक सौ रुपये	35 ग्राम	चांदी में 1/500वां कम या ज्यादा अर्थात् चांदी में प्रति 1000 में 498 से 502 तक का अंतर हो सकेगा ।	1/100वां कम या ज्यादा अर्थात् वजन में 34.65 ग्राम से 35.35 ग्राम तक का अंतर हो सकता है ।
पांच रुपये	6 ग्राम	तांबा और जस्ता के लिए 1/100वां कम या ज्यादा अर्थात तांबे में 74% से 76% तक और जस्ते में 19% से 21% तक का अंतर हो सकता है और निकैल के लिए 1/200वां तक कम या ज्यादा अर्थात् निकैल में 4.5% से 5.5% तक का अंतर हो सकता है ।	1/40वां कम या ज्यादा अर्थात् वजन से 5.85 ग्राम से 6.15 ग्राम तक का अंतर हो सकता है ।

[फा. सं. 13/02/2008/सिक्का]

अरुण सोबती, अवर सचिव (सी एंड सी)

MINISTRY OF FINANCE

(Department of Economic Affairs)

NOTIFICATION

New Delhi, the 23rd August, 2012

G.S.R. 648(E).—In exercise of the powers conferred by clauses (d) and (e) of sub-section (2) of section 24 of the Coinage Act, 2011 (11 0f 2011) and in supersession of the earlier notification No. G.S.R.667 (E) dated 11th August, 2010 and S.O. 1970 (E) dated 11th August, 2010 except in respect of things done or omitted to be done before such supersession, the Central Government hereby makes the following rules, namely:-

1. Short title and commencement :- (1) These rules may be called the coinage of One Hundred Rupees and Five Rupees coins to commemorate the occasion of **"150 YEARS OF KUKA MOVEMENT" Rules, 2012.**

(2) They shall come into force on the date of their publication in the Official Gazette.

2. The coins of the following denominations shall be coined at the Mint for issue under the authority of the Central Government to commemorate the occasion of **"150 YEARS OF KUKA MOVEMENT"**, namely:-

(a) One Hundred Rupees;
(b) Five Rupees.

3. The coins of the denominations referred to in rule 3, shall conform to the following dimensions, designs and composition, namely:-

Denomination of the coin	Shape and outside diameter	Number of Serrations	Metal Composition
(1)	(2)	(3)	(4)
One Hundred Rupees	Circular 44 millimeters	200	**Quaternary Alloy** Silver – 50 percent Copper- 40 percent Nickel - 5 percent Zinc - 5 percent
Five Rupees	Circular 23 millimeters	100	**Nickel Brass** Copper – 75 percent Zinc -- 20 percent Nickel – 5 percent

DESIGN

1. ONE HUNDRED RUPEES

OBVERSE

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते " inscribed below, flanked on the left periphery with the word "भारत" in Devnagri script and on the right periphery flanked with the word "INDIA" in English. It shall also bear the Rupee symbol " ₹" and denominational value "100" in International Numerals below the Lion Capitol.

REVERSE

The face of the coin shall bear the combined portrait of Satguru Ram Singh Ji in the centre, his followers hanged on the left side and on the right side standing in front of the mouth of canon, with inscription " **कूका आन्दोलन के 150 वर्ष** " in Devnagri script on the outer left periphery and " 150 YEARS OF KUKA MOVEMENT" in English on the outer right periphery. The inscription " सतगुरु राम सिंह जी " in Devnagri script shall be shown above the portrait on the left inner periphery and "SATGURU RAM SINGH JI" in English shall be flanked on the right inner periphery. The year's figure "1857-2007" shall be shown below the portrait in International Numerals.

2. FIVE RUPEES

OBVERSE

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते " inscribed below, flanked on the left periphery with the word "भारत" in Devnagri script and on the right periphery flanked with the word "INDIA" in English. It shall also bear the Rupee symbol "₹" and denominational value "5" in International Numerals below the Lion Capitol.

REVERSE

The face of the coin shall bear the combined portrait of Satguru Ram Singh Ji in the centre, his followers hanged on the left side and on the right side standing in front of the mouth of canon, with inscription " **कूका आन्दोलन के 150 वर्ष** " in Devnagri script on the outer left periphery and " 150 YEARS OF KUKA MOVEMENT" in English on the outer right periphery. The inscription " सतगुरु राम सिंह जी " in Devnagri script shall be shown above the portrait on the left inner periphery and "SATGURU RAM SINGH JI" in English shall be flanked on the right inner periphery. The year's figure "1857-2007" shall be shown below the portrait in International Numerals.

3181 GI/12-2

India Code

4. Standard weight and remedy allowed: - The standard weight of the coins of the denominations and the remedy allowed in making of such coins shall be as specified in the following Table, namely: -

TABLE

Denomination of the coin	Standard Weight	Remedy Allowed	
		In Composition	In Standard Weight
(1)	(2)	(3)	(4)
One Hundred Rupees	35 Grams	1/500th plus or minus for silver, that is to say the Silver content may vary from 498 to 502 per 1000.	1/100th plus or minus that is to say, the weight could vary from 34.65 grams to 35.35 grams.
Five Rupees	6 Grams	1/100th plus or minus for Copper and Zinc, that is to say, Copper could vary from 74 percent to 76 percent and Zinc from 19 percent to 21 percent and 1/200th plus or minus for Nickel that is to say Nickel could vary from 4.5 percent to 5.5 percent.	1/40th plus or minus that is to say, the weight could vary from 5.85 grams to 6.15 grams.

[F. No. 13/02/2008-Coin]

ARUN SOBTI, Under Secy. (C and C)

Printed by the Manager, Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.