रजिस्ट्री सं० डी० एल०-33004/99 REGD. NO. D. L.-33004/99

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 532] नई दिल्ली, शनिवार, जून 24, 2017/आषाढ 3, 1939
No. 532] NEW DELHI, SATURDAY, JUNE 24, 2017/ASADHA 3, 1939

IndiaCode

वित्त मंत्रालय
(आर्थिक कार्य विभाग)
अधिसूचना

नई दिल्ली, 23 जून, 2017

सा.का.नि. 641(अ).—केंद्रीय सरकार, सिक्का निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 की उप-धारा (2) के खंड (घ) और (ड.) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात् :–

1. **संक्षिप्त नाम और प्रारम्भ :-** (1) इन नियमों का नाम ("श्रीमद् राजचन्द्र की 150वीं जयंती" के अवसर पर स्मारक सिक्के जारी करना) सिक्का निर्माण नियम, 2017 है।
(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. **सिक्कों का अंकित मूल्य**-- **"श्रीमद् राजचन्द्र की 150वीं जयंती"** को मनाने के लिए केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने हेतु टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण किया जाएगा, अर्थात् :–
   (i) एक सौ पचास रुपये;
   (ii) दस रुपये;

3. **सिक्कों की विमाएं और संरचना** --- नियम 2 में उल्लिखित अंकित मूल्य के सिक्के निम्नलिखित विमाओं और संरचना के अनुरूप होंगे, अर्थात् :–

सिक्के का अंकित मूल्य	आकृति और बाह्य व्यास	दांतों की संख्या	धातु संरचना
(1)	(2)	(3)	(4)
एक सौ पचास रुपये	वृत्ताकार 44 मिलीमीटर	200	**चतुर्थक मिश्र धातु** रजत– 50 प्रतिशत तांबा – 40 प्रतिशत निकल – 05 प्रतिशत जस्ता – 05 प्रतिशत
दस रुपये	वृत्ताकार 27 मिलीमीटर (द्विधात्विक)	शून्य	**बाह्य वलय** **(एल्युमिनियम कांसा)** तांबा – 92 प्रतिशत एल्युमिनियम- 06 प्रतिशत निकल – 02 प्रतिशत **केंद्रीय भाग** (कूप्रो निकल) तांबा- 75 प्रतिशत निकल – 25 प्रतिशत

4. **डिज़ाइन –** सिक्कों का डिज़ाइन इन नियमों की प्रथम अनुसूची में निर्दिष्ट किए अनुसार होगा ।

5. **मानक वजन तथा अनुज्ञात छूट**: "श्रीमद् राजचन्द्र की 150वीं जयंती" को मनाने के लिए बनाए गए निम्नलिखित अंकित मूल्य के सिक्कों का मानक वजन और ऐसे सिक्कों को बनाने में अनुज्ञात छूट वह होगी जो इन नियमों की द्वितीय अनुसूची में विनिर्दिष्ट होगी।

प्रथम अनुसूची
(नियम 4 देखें)

(i) एक सौ पचास रुपये

अग्र भाग

सिक्के के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"सत्यमेव जयते"** उत्कीर्णित होगा, उसकी बायीं परिधि पर देवनागरी लिपि में "**भारत**" शब्द और दायीं परिधि पर अंग्रेजी में **"**INDIA**"** शब्द होगा और सिंह शीर्ष के नीचे रुपया का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"150"** भी होगा ।

पृष्ठ भाग

सिक्के के इस भाग पर मध्य में **"श्रीमद् राजचन्द्र"** का चित्र होगा, सिक्के की बायीं ऊपरी परिधि तथा बायीं निचली परिधि पर देवनागरी लिपि में क्रमश: **"श्रीमद् राजचन्द्र"** और **"150वीं जयंती"** और दायीं ऊपरी परिधि तथा दायीं निचली परिधि पर अंग्रेजी में क्रमश: **"SHRIMAD RAJCHANDRA"** और **"150TH Birth Anniversary"** उत्कीर्णित होगा। श्रीमद् राजचन्द्र के चित्र के बायीं ओर "1867" और दायीं ओर "1901" अंतरराष्ट्रीय अंकों में लिखा होगा।

(ii) दस रुपये

अग्र भाग

सिक्के के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"सत्यमेव जयते"** उत्कीर्णित होगा, उसकी बायीं परिधि पर देवनागरी लिपि में **"भारत"** शब्द और दायीं परिधि पर अंग्रेजी में **"**INDIA**"** शब्द होगा और सिंह शीर्ष के नीचे रुपया का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"10"** भी होगा ।

पृष्ठ भाग

सिक्के के इस भाग पर मध्य में **"श्रीमद् राजचन्द्र"** का चित्र होगा, सिक्के की बायीं ऊपरी परिधि तथा बायीं निचली परिधि पर देवनागरी लिपि में क्रमश: **"श्रीमद् राजचन्द्र"** और **"150वीं जयंती"** और दायीं ऊपरी परिधि तथा दायीं निचली परिधि पर अंग्रेजी में क्रमश:

"SHRIMAD RAJCHANDRA" और **"150TH Birth Anniversary"** उत्कीर्णित होगा। श्रीमद् राजचन्द्र के चित्र के बायीं ओर "1867" और दायीं ओर "1901" अंतरराष्ट्रीय अंकों में लिखा होगा।

द्वितीय अनुसूची
(नियम 5 देखें)

सिक्के का अंकित मूल्य	मानक वजन	अनुज्ञात छूट	
		संरचना में	मानक वजन में
(1)	(2)	(3)	(4)
एक सौ पचास रुपये	35 ग्राम	चांदी में 1/500वां जोड़ कर या घटा कर अर्थात् चाँदी में प्रति 1000 में 498 से 502 तक का अंतर हो सकेगा ।	1/100वां जोड़ कर या घटा कर अर्थात् वजन में 34.65 ग्राम से 35.35 ग्राम तक का अंतर हो सकता है ।
दस रुपये (द्विधात्विक)	7.71 ग्राम (बाह्य वलय 4.45 ग्राम और मध्य भाग 3.26 ग्राम)	**बाह्य वलय**- (एल्युमिनियम-कांसा) एल्युमिनियम- 5.5 प्रतिशत से 6 प्रतिशत, निकल- 1.75 प्रतिशत से 2 प्रतिशत और शेष तांबा है। **मध्य भाग-** (कूप्रो- निकल) तांबा और निकल दोनों के लिए 1 प्रतिशत जोड़ कर या घटा कर अर्थात् तांबे में 74 प्रतिशत से 76 प्रतिशत और निकल में 24 प्रतिशत से 26 प्रतिशत का अंतर हो सकता है।	2.5 प्रतिशत जोड़ कर या घटा कर अर्थात् वजन में 7.52 ग्राम से 7.90 ग्राम का अंतर हो सकता है।

[फा. सं. 02/23/2015-सिक्का]
शोबा बेसिल, अवर सचिव

MINISTRY OF FINANCE

(Department of Economic Affairs)

NOTIFICATION

New Delhi, the 23rd June, 2017.

G.S.R 641(E).—In exercise of the powers conferred by clauses (d) and (e) of sub-section (2) of section 24 of the Coinage Act, 2011 (11 of 2011), the Central Government hereby makes the following rules, namely:-

1. **Short title and commencement.-** (1) These rules may be called the Coinage (Issue of Commemorative coins on the occasion of 150th Birth Anniversary of Shrimad Rajchandra) Rules, 2017.

   (2) They shall come into force on the date of their publication in the Official Gazette.

2. **Denomination of coins.-** The coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government to commemorate the occasion of "150th BIRTH ANNIVERSARY OF SHRIMAD RAJCHANDRA", namely:-

   (1) One Hundred Fifty Rupees; and
   (2) Ten Rupees.

3. **Dimension and composition of coins.-** The coins of the denominations mentioned in rule 2 shall conform to the following dimensions and composition, namely:-

Denomination of the coin	Shape and outside diameter	Number of Serrations	Metal Composition
(1)	(2)	(3)	(4)
One Hundred Fifty Rupees	Circular 44 millimeter	200	**Quaternary Alloy** Silver - 50 per cent Copper - 40 per cent Nickel - 05 per cent Zinc - 05 per cent
Ten Rupees	Circular 27 millimeter (Bi- metallic)	Nil	**Outer Ring** **(Aluminium Bronze)** Copper - 92 per cent Aluminium - 06 per cent Nickel - 02 per cent **Center Piece** (Cupro Nickel) Copper – 75 per cent Nickel – 25 per cent

4. **Design.-** The design of the coins shall be as specified in the First Schedule to these Rules.

5. **Standard weight and remedy allowed.–** The standard weight of the coins of the following denominations, coined to commemorate the occasion of "150th Birth Anniversary of Shrimad Rajchandra" and the remedy allowed in making of such coins shall be as specified in the Second Schedule to these rules.

The First Schedule
(See Rule 4)

(i) **ONE HUNDRED FIFTY RUPEES**

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left periphery with the word "भारत" in Devnagri script and on the right periphery with the word "INDIA" in English, and it shall also bear the Rupee symbol "₹" and denominational value "**150**" in International Numerals below the Lion Capitol.

REVERSE:

This face of the coin shall bear the portrait of "**SHRIMAD RAJCHANDRA**" in the centre. The inscription "श्रीमद् राजचंद्र" and "150 वीं जयंती" shall be written on upper left and lower left periphery of the coin in Devnagri script. The inscription "SHRIMAD RAJCHANDRA" and "150TH Birth Anniversary" shall be written on the upper right and lower right periphery of the coin respectively. The year "1867" and "1901" in international numerals shall be written on the left and right side of the portrait of Shrimad Rajchandra.

(ii) **TEN RUPEES**

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left periphery with the word "भारत" in Devnagri script and on the right periphery with the word "INDIA" in English, and it shall also bear the Rupee symbol "₹" and denominational value "**10**" in International Numerals below the Lion Capitol.

REVERSE:

This face of the coin shall bear the portrait of "**SHRIMAD RAJCHANDRA**" in the centre. The inscription "**श्रीमद् राजचंद्र**" and "150 **वीं जयंती**" shall be written on upper left and lower left periphery of the coin in Devnagri script. The inscription "SHRIMAD RAJCHANDRA" and "150TH Birth Anniversary" shall be written on the upper right and lower right periphery of the coin respectively. The year "1867" and "1901" in international numerals shall be written on the left and right side of the portrait of Shrimad Rajchandra.

The Second Schedule
(See Rule 5)

Denomination of coin	Standard Weight	Remedy Allowed	
		In composition	In Standard Weight
(1)	(2)	(3)	(4)
One Hundred Fifty Rupees	35 grams	1/500th plus or minus for silver, that is to say the Silver content may vary from 498 to 502 per 1000.	1/100th plus or minus that is to say, the weight could vary 34.65 grams to 35.35 grams.
Ten Rupees (Bi-Metallic)	7.71 grams (Outer Ring 4.45 grams and Centre Piece 3.26 grams)	**Outer Ring-** (Aluminium Bronze) Aluminium –5.5 percent to 6 percent Nickel – 1.75 percent to 2 percent and remainder are Copper. **Centre Piece** (Cupro - Nickel) Plus or Minus 1 percent for both Copper and Nickel, that is to say, the Copper may vary from 74 percent to 76 percent and Nickel may vary from 24 percent to 26 percent.	Plus or minus 2.5 percent that is to say, weight could vary from 7.52 grams to 7.90 grams.

[F. No. 02/23/2015-Coin]

SHOBA BASIL, Under Secy.

Uploaded by Dte. of Printing at Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.

ALOK KUMAR Digitally signed by ALOK KUMAR Date: 2017.06.24 12:10:16 +05'30'