रजिस्ट्री सं० डी० एल०-33004/99 REGD. NO. D. L.-33004/99

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 665] नई दिल्ली, शुक्रवार, दिसम्बर 12, 2014/अग्रहायण 21, 1936
No. 665] NEW DELHI, FRIDAY, DECEMBER 12, 2014/AGRAHAYANA 21, 1936

indiacode

वित्त मंत्रालय

(आर्थिक कार्य विभाग)

अधिसूचना

नई दिल्ली, 11 दिसम्बर, 2014

सा.का.नि. 888(अ).—केंद्रीय सरकार, सिक्का निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 की उप-धारा (2) के खंड (घ) और (ड) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थातः—

1. **संक्षिप्त नाम और प्रारंभ.-** (1) इन नियमों को **भेल-अभियांत्रिकी उत्कृष्टता के 50 वर्ष** के अवसर को मनाने के लिए पचास रुपए और पांच रुपए के सिक्कों का निर्माण नियम, 2014 कहा जाए।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. **सिक्कों का अंकित मूल्य.—'भेल-अभियांत्रिकी उत्कृष्टता के 50 वर्ष'** के अवसर को मनाने के लिए केंद्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण किया जाएगा, अर्थात्:—

(i) पचास रुपये;

(ii) पांच रुपये।

3. **सिक्कों की विमा और संघटन.**-नियम 2 में उल्लिखित अंकित मूल्य के सिक्के निम्नलिखित विमाओं, डिजाइन और संघटन के अनुरूप होंगे, अर्थात्:—

सिक्के का अंकित मूल्य	आकृति और बाह्य व्यास	क्रकचनों की संख्या	धातु संघटन
(1)	(2)	(3)	(4)
पचास रुपए	वृत्ताकार 39 मिलीमीटर	180	चतुष्क मिश्रधातु रजत- 50 प्रतिशत तांबा- 40 प्रतिशत निकल- 05 प्रतिशत जस्ता- 05 प्रतिशत
पांच रुपए	वृत्ताकार 23 मिलीमीटर	100	निकल पीतल तांबा- 75 प्रतिशत जस्ता- 20 प्रतिशत निकल- 05 प्रतिशत

4. **डिजाइनः-** सिक्कों का डिजाइन निम्नानुसार होगाः—

(i) पचास रुपये

अग्रभागः

सिक्के के अग्रभाग पर मध्य में अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे **"सत्यमेव जयते"** इबारत लिखी होगी, उसकी बायीं ऊपरी परिधि पर देवनागरी में **"भारत"** शब्द और दायीं ऊपरी परिधि पर अंग्रेजी में **"INDIA"** शब्द होगा। सिंह शीर्ष के नीचे रुपये का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"50"** भी होगा।

पृष्ठभागः

सिक्के के इस भाग के अग्रभाग पर मध्य में **"भेल की स्वर्ण जयंती"** की आकृति होगी जिसके साथ ऊपरी परिधि पर देवनागरी लिपि में **"अभियांत्रिकी उत्कृष्टता के 50 वर्ष"** लेख और निचली परिधि पर

अंग्रेजी में **"50 YEARS OF ENGINEERING EXCELLENCE"** और आकृति के नीचे अंतरराष्ट्रीय अंकों में वर्ष **"1964-2014"** उत्कीर्ण किया जाएगा।

(ii) पांच रुपये

अग्रभागः

सिक्के के अग्रभाग पर मध्य में अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे **"सत्यमेव जयते"** इबारत लिखी होगी, उसकी बायीं ऊपरी परिधि पर देवनागरी में **"भारत"** शब्द और दायीं ऊपरी परिधि पर अंग्रेजी में **"INDIA"** शब्द होगा। सिंह शीर्ष के नीचे रुपये का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"5"** भी होगा।

पृष्ठभागः

सिक्के के इस भाग के अग्रभाग पर मध्य में **"भेल की स्वर्ण जयंती"** की आकृति होगी जिसके साथ ऊपरी परिधि पर देवनागरी लिपि में **"अभियांत्रिकी उत्कृष्टता के 50 वर्ष"** लेख और निचली परिधि पर अंग्रेजी में **"50 YEARS OF ENGINEERING EXCELLENCE"** और आकृति के नीचे अंतरराष्ट्रीय अंकों में वर्ष **"1964-2014"** उत्कीर्ण किया जाएगा।

(5) मानक भार और अनुज्ञात उपचार.- **"भेल-अभियांत्रिकी उत्कृष्टता के 50 वर्ष"** के अवसर पर स्मरणोत्सव मनाने के लिए निम्नलिखित अंकित मूल्यों के सिक्कों का मानक भार और अनुज्ञात उपचार नीचे दी गई सारणी में यथाविनिर्दिष्ट रूप में होगाः—

सारणी

सिक्के का अंकित मूल्य	मानक भार	अनुज्ञात उपचार	
		संघटन में	मानक भार में
(1)	(2)	(3)	(4)
पचास रुपए	22.5 ग्राम	रजत के लिए 1/500 से ज्यादा या कम अर्थात् रजत अंतर्वस्तु 498 से 502 प्रति 1000 के बीच का अंतर हो सकेगा।	1/40 से ज्यादा या कम अर्थात् भार में 21.9375 ग्राम से 23.0625 ग्राम तक अंतर हो सकता है।

पांच रुपए	6 ग्राम	तांबा और जस्ता के लिए 1/100 तक कम या ज्यादा अर्थात् तांबा में 74 प्रतिशत से 76 प्रतिशत तक और जस्ता में 19 प्रतिशत से 21 प्रतिशत तक का अंतर हो सकेगा और निकल में 1/200 तक कम या ज्यादा अर्थात् 4.5 प्रतिशत से 5.5 प्रतिशत तक के बीच का अंतर हो सकेगा।	1/40 तक कम या ज्यादा अर्थात् भार में 5.85 ग्राम से 6.15 ग्राम तक का अंतर हो सकता है।

[फा. सं. 02/16/2014-सिक्का]

पंकज गुप्ता, अवर सचिव (एसपीएमसी और सिक्का)

MINISTRY OF FINANCE

(Department of Economics Affairs)

NOTIFICATION

New Delhi, 11th December, 2014

G.S.R. 888(E).—In exercise of the powers conferred by clauses (d) and (e) of sub-section (2) of Section 24 of the Coinage Act, 2011(11 of 2011), the Central Government hereby makes the following rules, namely:—

1. **Short title and commencement.**—(1) These rules may be called the Coinage of Fifty Rupees and Five Rupees Coins to mark the occasion of **BHEL - 50 YEARS OF ENGINEERING EXCELLENCE** Rules, 2014.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. **Denomination of coins.**—The coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government to commemorate the occasion of **"BHEL - 50 YEARS OF ENGINEERING EXCELLENCE"**, namely:—

(i) Fifty Rupees;

(ii) Five Rupees.

3. **Dimension and composition of coins.**—The coins of the denominations mentioned in rule 2 shall conform to the following dimensions and composition, namely:—

Denomination of coin	Shape and outside diameter	Number of serrations	Metal composition
(1)	(2)	(3)	(4)
Fifty Rupees	Circular 39 millimeters	180	Quaternary Alloy Silver-50 per cent. Copper-40 per cent. Nickel-05 per cent. Zinc-05 per cent.
Five Rupees	Circular 23 millimeters	100	Nickel Brass Copper-75 per cent. Zinc-20 per cent. Nickel-05 per cent.

4. **Design.**—The design of the coins shall be as under:—

(i) FIFTY RUPEES

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend **"सत्यमेव जयते"** inscribed below, flanked on the left upper periphery with the word **"भारत"** in Devnagri script and on the right upper periphery flanked with the word **"INDIA"** in English, and it shall also bear the Rupee symbol "₹" and denominational value **"50"** in the International Numerals below the Lion Capitol.

REVERSE:

The face of the coin shall bear the logo of **"GOLDEN JUBILEE OF BHEL"** in the centre, with inscription **"अभियांत्रिकी उत्कृष्टता के 50 वर्ष"** in Devnagri script on upper periphery and the lower periphery shall bear the inscription **"50 YEARS OF ENGINEERING EXCELLENCE"** in English, and the year's figure **"1964-2014"** shall be written below the logo in international numerals.

(i) FIVE RUPEES

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend **"सत्यमेव जयते"** inscribed below, flanked on the left upper periphery with the word **"भारत"** in Devnagri script and on the right upper periphery flanked with the word **"INDIA"** in English, and it shall also bear the Rupee symbol "₹" and denominational value "5" in the international numerals below the Lion Capitol.

REVERSE:

The face of the coin shall bear the logo of **"GOLDEN JUBILEE OF BHEL"** in the centre, with inscription **"अभियांत्रिकी उत्कृष्टता के 50 वर्ष"** in Devnagri script on upper periphery and the lower periphery shall bear the inscription **"50 YEARS OF ENGINEERING EXCELLENCE"** in English, and the year's figure **"1964-2014"** shall be written below the logo in international numerals.

(ii) Standard weight and remedy allowed.- The standard weight of the coins of the following denominations, coined to commemorate the occasion of **"BHEL - 50 YEARS OF ENGINEERING EXCELLENCE"** and the remedy allowed in making of such coins shall be as specified in the Table below:—

TABLE

Denomination of coin	Standard weight	Remedy allowed	
		In composition	In standard weight
(1)	(2)	(3)	(4)
Fifty Rupees	22.5 Grams	1/500th plus or minus for Silver, that is to say the Silver content may vary from 498 to 502 per 1000.	1/40th plus or minus, that is to say, the weight could vary from 21.9375 grams to 23.0625 grams.
Five Rupees	6 Grams	1/100th plus or minus for Copper and Zinc, that is to say Copper could vary from 74 per cent. to 76 per cent. and Zinc from 19 per cent. to 21 per cent. and 1/200th plus or minus for Nickel that is to say Nickel could vary from 4.5 per cent. to 5.5 per cent.	1/40th plus or minus, that is to say, the weight could vary from 5.85 grams to 6.15 grams.

[F. No .02/16 /2014-Coin]

PANKAJ GUPTA, Under Secy. (SPMC & Coin)

Printed by the Manager, Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.