रजिस्ट्री सं० डी० एल०-33004/99 REGD. NO. D. L.-33004/99

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 651] नई दिल्ली, बुधवार, अक्तूबर 21, 2015/ आश्विन 29, 1937
No. 651] NEW DELHI, WEDNESDAY, OCTOBER 21, 2015/ ASVINA 29, 1937

indiacode

वित्त मंत्रालय

(आर्थिक कार्य विभाग)

अधिसूचना

नई दिल्ली, 19 अक्तूबर,2015

सा.का.नि.798(अ).—केन्द्रीय सरकार, सिक्का निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 की उप-धारा (2) के खण्ड (घ) और (ङ) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात् :—

1. **संक्षिप्त नाम और प्रारम्भ :—(1)**इन नियमों का संक्षिप्त नाम **"तीसरा भारत-अफ्रीका मंच शिखर सम्मेलन"** के अवसर पर स्मरणोत्सव मनाने के लिए पांच सौ रुपये और दस रुपये के सिक्कों का निर्माण नियम, 2015 है ।

   (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे ।

2. **सिक्कों का अंकित मूल्य -- "तीसरा भारत-अफ्रीका मंच शिखर सम्मेलन"** के अवसर पर स्मरणोत्सव मनाने के लिए केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण किया जाएगा, अर्थात :—

   (i) पांच सौ रुपये;

   (ii) दस रुपये;

3. **सिक्कों की विमाएं और संरचना – नियम 2 में उल्लिखित अंकित मूल्य के सिक्के निम्नलिखित विमाओं और संरचना के अनुरूप होंगे, अर्थात्** :—

सिक्के का अंकित मूल्य	आकृति और बाह्य व्यास	दांतों की संख्या	धातु संरचना
(1)	(2)	(3)	(4)
पांच सौ रुपये	वृत्ताकार 44 मिलीमीटर	200	**चतुर्थक मिश्र धातु** चांदी – 50 प्रतिशत तांबा –40 प्रतिशत निकल - 05 प्रतिशत जस्ता - 05 प्रतिशत

दस रुपये	वृत्ताकार 27 मिलीमीटर (द्वि-धातुक)	-	**बाह्य वलय** (एल्युमिनियम कांसा) तांबा - 92 प्रतिशत एल्युमिनियम -06 प्रतिशत निकल 02 – प्रतिशत **केंद्रीय भाग** (कूप्रो निकल) तांबा -75 प्रतिशत निकल – 25 प्रतिशत

4. डिज़ाइन – सिक्कों का डिज़ाइन निम्नानुसार होगा :—

(i) <u>पांच सौ रुपये</u>

<u>अग्र भाग</u>

सिक्के के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"मेव जयतेसत्य"** उत्कीर्णित होगा, उसकी बाई परिधि पर देवनागरी लिपि में "**भारत**" शब्द और दाहिनी परिधि पर अंग्रेजी में "INDIA" शब्द होगा और सिंह शीर्ष के नीचे रुपया का प्रतीक "**₹**" और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"500"** भी होगा।

<u>पृष्ठ भाग</u>

सिक्के के इस भाग पर मध्य में **"सिंह"** की मुखाकृति होगी, उस पर भारत एवं दक्षिण अफ्रीका के अतिव्याप्ति करते रूपरेखीय मानचित्र होंगे, सिक्के की ऊपरी परिधि पर देवनागरी लिपि में **" तीसरा भारत- अफ्रीका मंच शिखर सम्मेलन"** और निचली परिधि पर अंग्रेजी में **"3RD INDIA-AFRICA FORUM SUMMIT"** उत्कीर्णित होगा। चित्र के नीचे अंतर्राष्ट्रीय अंकों में "**2015**" लिखा होगा।

(ii) <u>दस रुपये</u>

<u>अग्र भाग</u>

सिक्के के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"सत्यमेव जयते"**उत्कीर्णित होगा, उसकी बाई परिधि पर देवनागरी लिपि में **"भारत"** शब्द और दाहिनी परिधि पर अंग्रेजी में "INDIA" शब्द होगा और सिंह शीर्ष के नीचे रुपया का प्रतीक "**₹**" और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"10"** भी होगा।

<u>पृष्ठ भाग</u>

सिक्के के इस भाग पर मध्य में **"सिंह"** की मुखाकृति होगी, उस पर भारत एवं दक्षिण अफ्रीका के अतिव्याप्ति करते रूपरेखीय मानचित्र होंगे, सिक्के की ऊपरी परिधि पर देवनागरी लिपि में **"तीसरा भारत- अफ्रीका मंच शिखर सम्मेलन"** और निचली परिधि पर अंग्रेजी में **"3RD INDIA-AFRICA FORUM SUMMIT"** उत्कीर्णित होगा। चित्र के नीचे अंतर्राष्ट्रीय अंकों में "**2015**" लिखा होगा।

5. **मानक वजन तथा अनुज्ञात छूट** : "**तीसरा भारत- अफ्रीका मंच शिखर सम्मेलन"** के अवसर पर स्मरणोत्सव मनाने के लिए बनाए गए निम्नलिखित अंकित मूल्य के सिक्कों का मानक वजन और ऐसे सिक्कों को बनाने में अनुज्ञात छूट निम्नलिखित सारणी में यथाविनिर्दिष्ट रुप में होगी, अर्थात :—

सारणी

सिक्के का अंकित मूल्य	मानक वजन	अनुज्ञात छूट	
		संरचना में	मानक वजन में
(1)	(2)	(3)	(4)
पांच सौ रूपये	35 ग्राम	चांदी में 1/500 वां जोड़ कर या घटा कर अर्थात चाँदी में प्रति 1000 में 498 से 502 तक का अंतर हो सकेगा।	1/100वां जोड़ कर या घटा कर अर्थात वजन में 34.65 ग्राम से 35.35 ग्राम तक का अंतर हो सकता है।

IndiaCode

दस रूपये (द्वि – धातुक)	7.71 ग्राम (बाह्य वलय 4.45 ग्राम और मध्य भाग 3.26 ग्राम)	**बाह्य वलय** (एल्यूमिनियम कांसा) एल्युमिनियम -5.5 प्रतिशत से 6 प्रतिशत, निकल-1.75 प्रतिशत से 2 प्रतिशत और शेष तांबा है। **मध्य भाग** - (कूप्रो निकल) तांबा और निकल दोनों के लिए 1 प्रतिशत जोङ कर या घटा कर अर्थात तांबे में 74 प्रतिशत से 76 प्रतिशत और निकल में 24 प्रतिशत से 26 प्रतिशत का अंतर हो सकता है।	2.5 प्रतिशत जोङ कर या घटा कर अर्थात वजन में 7.52 ग्राम से 7.90 ग्राम का अंतर हो सकता है।

[फा. सं. 02/27/2015- सिक्का]

पंकज गुप्ता, अवर सचिव (एस.पी.एम.सी. और सिक्का)

MINISTRY OF FINANCE

(Department of Economic Affairs)

NOTIFICATION

New Delhi, the 19th October, 2015

G.S.R.798(E).—In exercise of the powers conferred by clauses (d) and (e) of sub-section (2) of section 24 of the Coinage Act, 2011 (11 of 2011), the Central Government hereby makes the following rules, namely:—

1. **Short title and commencement.-** (1) These rules may be called the Coinage of Five Hundred Rupees and Ten Rupees coins to commemorate the occasion of **3rd INDIA-AFRICA FORUM SUMMIT** Rules, 2015.

   (2) They shall come into force on the date of their publication in the Official Gazette.

2. **Denomination of coins.-** The coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government on the occasion of **3rd INDIA-AFRICA FORUM SUMMIT**, namely:—
   (i) Five Hundred Rupees;
   (ii) Ten Rupees.

3. **Dimension and composition of coins.-** The coins of the denominations mentioned in rule 2 shall conform to the following dimensions and composition, namely:—

Denomination of the coin	Shape and outside diameter	Number of serrations	Metal composition
(1)	(2)	(3)	(4)
Five Hundred Rupees	Circular 44 millimeter	200	**Quaternary Alloy** Silver - 50 per cent. Copper - 40 per cent. Nickel - 05 per cent. Zinc - 05 per cent.
Ten Rupees	Circular 27 millimeter (Bi- metallic)	---	**Outer ring** (Aluminium Bronze) Copper - 92 per cent. Aluminum - 06 per cent. Nickel - 02 per cent. **Center piece** (Cupro Nickel) Copper – 75 per cent. Nickel – 25 per cent.

4. Design.- The design of the coins shall be as under:-

(i) FIVE HUNDRED RUPEES

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left periphery with the word "भारत" in Devanagari script and on the right periphery flanked with the word "INDIA" in English, and it shall also bear the Rupee symbol "`" and denominational value "**500**" in international numerals below the Lion Capitol.

REVERSE:

The face of coin shall bear the face of Lion in the centre and overlapping outline maps of India and South Africa over the face, with inscription "तीसरा भारत-अफ़्रीका मंच शिखर सम्मेलन" in Devanagari script on upper periphery. The lower periphery shall bear the inscription "3RD INDIA - AFRICA FORUM SUMMIT" in English. The year's figure "2015" shall be written below the portrait in international numerals.

(ii) TEN RUPEES

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "सत्यमेव जयते" inscribed below, flanked on the left periphery with the word "भारत" in Devanagari script and on the right periphery flanked with the word "INDIA" in English, and it shall also bear the Rupee symbol "`" and denominational value "**10**" in international numerals below the Lion Capitol.

REVERSE:

The face of coin shall bear the face of Lion in the centre and overlapping outline maps of India and South Africa over the face, with inscription "तीसरा भारत-अफ़्रीका मंच शिखर सम्मेलन" in Devanagari script on upper periphery. The lower periphery shall bear the inscription "3RD INDIA - AFRICA FORUM SUMMIT" in English. The year's figure "2015" shall be written below the portrait in international numerals.

IndiaCode

5. **Standard weight and remedy allowed : –** The Standard weight of the coins of the following denominations coined to commemorate the occasion of "**3rd INDIA-AFRICA FORUM SUMMIT**" and the remedy allowed in making of such coins shall be as specified in the Table below:-

TABLE

Denomination of coin	Standard weight	Remedy allowed	
		In composition	In standard weight
(1)	(2)	(3)	(4)
Five Hundred Rupees	35 Grams	1/500th plus or minus for Silver, that is to say, the Silver content may vary from 498 to 502 per 1000.	1/100th plus or minus that is to say, weight could vary from 34.65 grams to 35.35 grams.
Ten Rupees (Bi-Metallic)	7.71 Grams (Outer ring 4.45 Grams and centre piece 3.26 grams)	**Outer ring** (Aluminium Bronze) Aluminium –5.5 percent to 6 percent, Nickel – 1.75 percent to 2 percent and remainder are Copper. **Centre piece** (Cupro - Nickel) Plus or Minus 1 percent for both copper and nickel, that is to say, the copper may vary from 74 percent to 76 percent and nickel may vary from 24 percent to 26 percent.	Plus or minus 2.5 percent that is to say, weight could vary from 7.52 grams to 7.90 grams.

[F.No.02/27/2015-Coin]
PANKAJ GUPTA, Under Secy. (SPMC & Coin)

Printed by the Manager, Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.