रजिस्ट्री सं० डी० एल०-33004/99 REGD. NO. D. L.-33004/99

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 304] नई दिल्ली, बुधवार, मई 13, 2015/वैशाख 23, 1937
No. 304] NEW DELHI, WEDNESDAY, MAY 13, 2015/VAISAKHA 23, 1937

IndiaCode

वित्त मंत्रालय

(आर्थिक कार्य विभाग)

अधिसूचना

नई दिल्ली, 13 मई, 2015

सा.का.नि. 381(अ).—केन्द्रीय सरकार सिक्का निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 की उप-धारा (2) के खंड (घ) और (ड.) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात् :-

1. **संक्षिप्त नाम और प्रारम्भ.-** (1) इन नियमों का संक्षिप्त नाम **"लाला लाजपत राय की 150वीं जयंती"** के अवसर पर स्मरणोत्सव मनाने के लिए एक सौ पचास रुपये और दस रुपये के सिक्कों का निर्माण नियम, 2015 है।

   (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. **सिक्कों का अंकित मूल्य.- "लाला लाजपत राय की 150वीं जयंती"** के अवसर पर स्मरणोत्सव मनाने के लिए केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण भी किया जाएगा, अर्थात् :-

   (i) एक सौ पचास रुपये;

   (ii) दस रुपये;

3. **सिक्कों की विमाएं और संरचना.-** नियम 2 में उल्लिखित अंकित मूल्य के सिक्के निम्नलिखित विमाओं और संघटन के अनुरूप होंगे, अर्थात् :-

सिक्के का अंकित मूल्य	आकृति और बाह्य व्यास	दांतों की संख्या	धातु संरचना
(1)	(2)	(3)	(4)
एक सौ पचास रुपये	वृत्ताकार 44 मिलीमीटर	200	**चतुष्क मिश्रधातु** चांदी – 50 प्रतिशत

			तांबा – 40 प्रतिशत निकल – 5 प्रतिशत जस्ता – 5 प्रतिशत
दस रुपये	वृत्ताकार 27 मिलीमीटर (द्विधात्विक)		**बाह्य वलय** (एल्युमिनियम कांसा) तांबा – 92 प्रतिशत एल्युमिनियम – 6 प्रतिशत निकल – 2 प्रतिशत **केंद्रीय भाग** (कुप्रो निकल) तांबा – 75 प्रतिशत निकल – 25 प्रतिशत

4. **डिज़ाइन.**– सिक्कों का डिज़ाइन निम्नानुसार होगा :-

(i) एक सौ पचास रुपये

अग्र भाग:

सिक्के के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"सत्यमेव जयते"** मुद्रा लेख उत्कीर्णित होगा, उसकी बाईं ऊपरी परिधि पर देवनागरी लिपि में **"भारत"** शब्द और दाहिनी ऊपरी परिधि पर अंग्रेजी में **"INDIA"** शब्द होगा और सिंह शीर्ष के नीचे रुपया का प्रतीक "**₹**" और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"150"** भी होगा ।

पृष्ठ भाग:

सिक्के के इस भाग पर मध्य में **"लाला लाजपत राय"** का चित्र होगा, सिक्के की ऊपरी परिधि पर देवनागरी लिपि में **"लाला लाजपत राय की 150वीं जयंती"** और निचली परिधि पर अंग्रेजी में **"150TH BIRTH ANNIVERSARY OF LALA LAJPAT RAI"** और चित्र के नीचे अंतर्राष्ट्रीय अंकों में **"1865-2015"** उत्कीर्णित होगा ।

(ii) दस रुपये

अग्र भाग:

सिक्के के मुख भाग पर मध्य में अशोक स्तम्भ का सिंह शीर्ष होगा, जिसके नीचे **"सत्यमेव जयते"** मुद्रा लेख उत्कीर्णित होगा, उसकी बाईं ऊपरी परिधि पर देवनागरी लिपि में **"भारत"** शब्द और दाहिनी ऊपरी परिधि पर अँग्रेजी में **"INDIA"** शब्द होगा । सिंह शीर्ष के नीचे रुपया का प्रतीक "**₹**" और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"10"** भी होगा ।

पृष्ठ भाग:

सिक्के के इस भाग पर मध्य में "लाला लाजपत राय" का चित्र होगा, सिक्के की ऊपरी परिधि पर देवनागरी लिपि में "**लाला लाजपत राय की 150वीं जयंती**" और निचली परिधि पर अंग्रेजी में **"150TH BIRTH ANNIVERSARY OF LALA LAJPAT RAI"** और चित्र के नीचे अंतर्राष्ट्रीय अंकों में **"1865-2015"** उत्कीर्णित होगा ।

5. **मानक वजन तथा अनुज्ञात उपचार.- "लाला लाजपत राय की 150वीं जयंती"** के अवसर पर स्मरणोंत्सव मनाने के लिए सिक्का निर्माण में निम्नलिखित अंकित मूल्य के सिक्कों का मानक वजन और ऐसे सिक्कों को बनाने में अनुज्ञात उपचार निम्नलिखित सारणी में यथाविनिर्दिष्ट रूप में होगा, अर्थात् :-

IndiaCode

सारणी

सिक्के का अंकित मूल्य	अनुज्ञात उपचार		
	मानक वजन	धातु संरचना में	मानक वजन में
(1)	(2)	(3)	(4)
एक सौ पचास रुपये	35 ग्राम	चांदी में 1/500वां जोड़ कर या घाटा कर अर्थात् चाँदी में प्रति 1000 में 498 से 502 तक का अंतर हो सकेगा ।	1/100 जोड़ कर या घटा कर अर्थात् वजन में 34.65 ग्राम से 35.35 ग्राम तक का अंतर हो सकता है ।
दस रुपये (द्वि-धातुक)	7.71 ग्राम (बाह्य वलय 4.45 ग्राम और मध्य भाग 3.26 ग्राम	**बाह्य वलय** – (एल्युमिनियम कांसा) एल्युमिनियम – 5.5 प्रतिशत से 6 प्रतिशत, निकल – 1.75 प्रतिशत से 2 प्रतिशत और शेष तांबा है । **मध्य भाग** – (कुप्रो-निकल) तांबा और निकल दोनों के लिए 1 प्रतिशत जोड़ कर या घटा कर अर्थात् तांबे में 74 प्रतिशत से 76 प्रतिशत और निकल में 24 प्रतिशत से 26 प्रतिशत का अंतर हो सकता है ।	2.5 प्रतिशत जोड़ कर या घटा कर अर्थात् वजन में 7.52 ग्राम से 7.90 ग्राम का अंतर हो सकता है ।

[फा. सं. 02/05/2015-सिक्का]

पंकज गुप्ता, अवर सचिव (एस.पी.एम.सी. और सिक्का)

MINISTRY OF FINANCE

(Department of Economics Affairs)

NOTIFICATION

New Delhi, the 13th May, 2015

G.S.R. 381(E).—In exercise of the powers conferred by clauses (d) and (e) of sub-section (2) of section 24 of the Coinage Act, 2011(11 of 2011), the Central Government hereby makes the following rules, namely: -

1. **Short title and commencement.-**

(1) These rules may be called the Coinage of One Hundred Fifty Rupees and Ten Rupees Coins to mark the occasion of **150TH BIRTH ANNIVERSARY OF LALA LAJPAT RAI** Rules, 2015.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. Denomination of coins.- The coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government to commemorate the occasion of "**150TH BIRTH ANNIVERSARY OF LALA LAJPAT RAI",** namely:-

(i) One Hundred Fifty Rupees;
(ii) Ten Rupees.

3. **Dimension and composition of coins.-** The coins of the denominations mentioned in rule 2 shall conform to the following dimensions and composition, namely: -

Denomination of coin	Shape and outside diameter	Number of serrations	Metal composition
(1)	(2)	(3)	(4)
One Hundred Fifty Rupees	Circular 44 millimeters	200	**Quaternary Alloy** Silver - 50 per cent Copper -40 per cent Nickel - 05 per cent Zinc - 05 per cent
Ten Rupees	Circular 27 millimeters (Bi-Metallic)	---	**Outer Ring** (Aluminium Bronze) Copper- 92 per cent Aluminium-6 per cent Nickel-2 per cent **Center Piece** (Cupro Nickel) Copper-75 per cent Nickel-25 per cent

IndiaCode

4. Design.- The design of the coins shall be as under: -

(i) **ONE HUNDRED FIFTYRUPEES**

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the center with the legend **"सत्यमेव जयते"** inscribed below, flanked on the left periphery with the word **"भारत"** in Devnagri script and on the right periphery flanked with the word "INDIA" in English and it shall also bear the Rupee symbol "₹" and denominational value "**150**" in the international numerals below the Lion Capitol.

REVERSE:

The face of coin shall bear the portrait of "**LALA LAJPAT RAI**" in the center, with inscription "लाला लाजपत राय की 150वीं जयंती " in Devnagri script on upper periphery and on the lower periphery shall bear the inscription "**150TH BIRTH ANNIVERSARY OF LALA LAJPAT RAI"** in English, and the year's figure "1865-2015" shall be written below the portrait in international numerals.

(ii) TEN RUPEES

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the center with the legend **"सत्यमेव जयते"** inscribed below, flanked on the left periphery with the word **"भारत"** in Devnagri script and on the right periphery flanked with the word "INDIA" in English, and it shall also bear the Rupee symbol "₹" and denominational value "**10**" in the international numerals below the Lion Capitol.

REVERSE:

The face of the coin shall bear the portrait of "**LALA LAJPAT RAI**" in the center, with inscription "लाला लाजपत राय की 150वीं जयंती " in Devnagri script on upper periphery and on the lower periphery shall bear the inscription "**150TH BIRTH ANNIVERSARY OF LALA LAJPAT RAI"** in English, and the year's figure "1865-2015" shall be written below the portrait in international numerals.

5. **Standard weight and remedy allowed.-** The standard weight of the coins of the following denominations, coined to commemorate the occasion of "**150TH BIRTH ANNIVERSARY OF LALA LAJPAT RAI"** and the remedy allowed in making of such coins shall be as specified in the Table below: -

TABLE

Denomination of coin	Standard weight	Remedy allowed	
		In composition	In standard weight
(1)	(2)	(3)	(4)
One Hundred Fifty Rupees	35 Grams	$1/500^{th}$ plus or minus for Silver, that is to say the Silver content may vary from 498 to 502 per 1000.	$1/100^{th}$ plus or minus, that is to say, the weight could vary from 34.65 grams to 35.35 grams.
Ten Rupees (Bi-Metallic)	7.71 Grams (outer ring 4.45 grams and centre piece 3.26 grams)	**Outer Ring**- (Aluminium Bronze) Aluminium 5.5 per cent to 6 per cent, Nickel-1.75 per cent to 2 per cent and remainder are copper. **Centre piece**- (Cupro-Nickel) plus or minus 1 per cent for both copper and Nickel that is to say, the copper may vary from 74 per cent to 76 per cent and Nickel from 24 per cent to 26 per cent.	Plus or minus 2.5 per cent that is to say, the weight could vary from 7.52 grams to 7.90 grams.

[F. No. 02/05/2015-Coin]
PANKAJ GUPTA, Under Secy. (SPMC & Coin)

Printed by the Manager, Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.