रजिस्ट्री सं० डी० एल०-33004/99 REGD. NO. D. L.-33004/99

भारत का राजपत्र
The Gazette of India

असाधारण
EXTRAORDINARY
भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 711] नई दिल्ली, बुधवार, दिसम्बर 31, 2014/पौष 10, 1936
No. 711] NEW DELHI, WEDNESDAY, DECEMBER 31, 2014/PAUSA 10, 1936

वित्त मंत्रालय
(आर्थिक कार्य विभाग)
अधिसूचना

नई दिल्ली, 31 दिसम्बर, 2014

सा.का.नि. 940(अ).—केंद्रीय सरकार, सिक्का निर्माण अधिनियम, 2011 (2011 का 11) की धारा 24 की उप-धारा (2) के खंड (घ) और (ड.) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, एतद्द्वारा निम्नलिखित नियम बनाती है, अर्थात् :—

1. **संक्षिप्त नाम और प्रारंभ.**—(1) इन नियमों को **"महात्मा गाँधी की दक्षिण अफ्रीका से वापसी का शताब्दी स्मरणोत्सव"** के उपलक्ष्य में एक सौ रुपए और दस रुपए के सिक्कों का निर्माण नियम, 2014 कहा जाए।
(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. **सिक्कों का अंकित मूल्य.—"महात्मा गाँधी की दक्षिण अफ्रीका से वापसी का शताब्दी स्मरणोत्सव"** के उपलक्ष्य में केंद्रीय सरकार के प्राधिकार के अधीन, जारी करने के लिए टकसाल में निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण भी किया जाएगा, अर्थात्:-
(i) एक सौ रुपए;
(ii) दस रुपए।

3. **सिक्कों की विमा और संघटन—**नियम 2 में उल्लिखित अंकित मूल्य के सिक्के निम्नलिखित विमाओं और संघटन के अनुरूप होंगे, अर्थात्:—

सिक्के का अंकित मूल्य	आकृति और बाह्य व्यास	दांते की संख्या	धातु संघटन
(1)	(2)	(3)	(4)
एक सौ रुपए	वृत्ताकार 44 मिलीमीटर	200	**चतुष्क मिश्रधातु** रजत- 50 प्रतिशत तांबा- 40 प्रतिशत निकल- 05 प्रतिशत जस्ता- 05 प्रतिशत

दस रुपए	वृत्ताकार 27 मिलीमीटर (द्विधात्विक)	--	**बाहरी वलय** **(एल्युमिनियम कांस्य)** तांबा- 92 प्रतिशत एल्युमिनियम- 06 प्रतिशत निकल- 02 प्रतिशत **केन्द्रीय भाग** **(कुप्रो-निकल)** तांबा - 75 प्रतिशत निकल 25 प्रतिशत

4. डिजाइनः- सिक्कों का डिजाइन निम्नानुसार होगाः-

(i) एक सौ रुपये

अग्रभागः

सिक्के के अग्रभाग पर मध्य में **अशोक** स्तंभ का सिंह शीर्ष होगा जिसके नीचे **"सत्यमेव जयते"** इबारत लिखी होगी, उसकी बायीं ऊपरी परिधि पर देवनागरी में **"भारत"** शब्द और दायीं ऊपरी परिधि पर अंग्रेजी में **"INDIA"** शब्द होगा, और सिंह शीर्ष के नीचे रुपये का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"100"** भी होगा।

पृष्ठभागः

सिक्के के इस भाग पर मध्य में **"महात्मा गाँधी"** का दोहरा चित्र होगा जिसके साथ देवनागरी में "महात्मा गाँधी" शब्द लिखा होगा तथा उसके नीचे दोहरे चित्र की दायीं शीर्षस्थ परिधि पर अंग्रेजी में **"MAHATMA GANDHI"** शब्द लिखा होगा। अंग्रेजी में **"RETURN FROM SOUTH AFRICA"** तथा **"CENTENARY COMMEMORATION"** लेख क्रमशः दायीं ऊपरी परिधि तथा दायीं निचली परिधि पर उत्कीर्ण होंगे। देवनागरी में **"दक्षिण अफ्रीका से वापसी"** तथा **"शताब्दी स्मरणोत्सव"** शब्द क्रमशः बायीं ऊपरी परिधि तथा बायीं निचली परिधि पर उत्कीर्ण होंगे, और अंतर्राष्ट्रीय अंकों में वर्ष **"1915 तथा 2015"** क्रमशः सिक्के की बायीं मध्य तथा दायीं मध्य परिधि पर होंगे।

(ii) दस रुपये

अग्रभागः

सिक्के के अग्रभाग पर मध्य में अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे **"सत्यमेव जयते"** इबारत लिखी होगी, उसकी बायीं ऊपरी परिधि पर देवनागरी में **"भारत"** शब्द और दायीं ऊपरी परिधि पर अंग्रेजी में **"INDIA"** शब्द होगा, और सिंह शीर्ष के नीचे रुपये का प्रतीक **"₹"** और अंतर्राष्ट्रीय अंकों में अंकित मूल्य **"दस"** भी होगा।

पृष्ठभागः

सिक्के के इस भाग पर मध्य में **"महात्मा गाँधी"** का दोहरा चित्र होगा जिसके साथ देवनागरी में "महात्मा गाँधी" शब्द लिखा होगा तथा उसके नीचे दोहरे चित्र की दायीं शीर्षस्थ परिधि पर अंग्रेजी में **"MAHATMA GANDHI"** शब्द लिखा होगा। अंग्रेजी में **"RETURN FROM SOUTH AFRICA"** तथा **"CENTENARY COMMEMORATION"** लेख क्रमशः दायीं ऊपरी परिधि तथा दायीं निचली परिधि पर उत्कीर्ण होंगे। देवनागरी में **"दक्षिण अफ्रीका से वापसी"** तथा **"शताब्दी स्मरणोत्सव"** शब्द क्रमशः बायीं ऊपरी परिधि तथा बायीं निचली परिधि पर उत्कीर्ण होंगे, और अंतर्राष्ट्रीय अंकों में वर्ष **"1915 तथा 2015"** क्रमशः सिक्के की बायीं मध्य तथा दायीं मध्य परिधि पर होंगे।

(5) मानक भार और अनुमत छूटः- "महात्मा गाँधी की दक्षिण अफ्रीका से वापसी का शताब्दी स्मरणोत्सव" के उपलक्ष्य में निर्मित, निम्नलिखित अंकित मूल्यों के सिक्कों का मानक भार और ऐसे सिक्कों के निर्माण में अनुमत छूट नीचे दी गई सारणी में विनिर्दिष्ट रूप में होगीः-

सारणी

सिक्के का अंकित मूल्य	मानक भार	मत छूट	
		संघटन में	मानक भार में
(1)	(2)	(3)	(4)
एक सौ रुपए	35 ग्राम	रजत के लिए 1/500 जमा या घटा अर्थात् रजत का अंश प्रति 1000 498 से 502 के बीच हो सकेगा।	1/100 जमा या घटा अर्थात् भार 34.65 ग्राम से 35.35 ग्राम तक हो सकता है।
दस रुपए	7.71 ग्राम (बाहरी वलय 4.45 ग्राम और केन्द्रीय भाग 3.26 ग्राम)	**बाहरी वलय (एल्युमिनियम कांस्य)** एल्युमिनियम -5.5 प्रतिशत से 6 प्रतिशत तक निकल- 1.75 प्रतिशत से 2 प्रतिशत तक तथा शेष तांबा। **केन्द्रीय भाग (कुप्रो-निकल)** तांबा और निकल दोनों के लिए 1 प्रतिशत कम या ज्यादा, अर्थात तांबा 74 प्रतिशत से 76 प्रतिशत तथा निकल 24 प्रतिशत से 26 प्रतिशत हो सकता ।	2.5 प्रतिशत कम या ज्यादा अर्थात् भार 7.52 ग्राम से 7.90 ग्राम तक हो सकता है।

[फा. सं. 04/05/2014-सिक्का]

पंकज गुप्ता, अवर सचिव (एसपीएमसी और सिक्का)

MINISTRY OF FINANCE
(Department of Economic Affairs)
NOTIFICATION

New Delhi, the 31st December, 2014

G.S.R. 940(E).—In exercise of the powers conferred by clauses (d) and (e) of sub-section (2) of section 24 of the Coinage Act, 2011 (11 of 2011), the Central Government hereby makes the following rules, namely:—

1. **Short title and commencement.–** (1) These rules may be called the Coinage of One Hundred Rupees and Ten Rupees coins to Commemorate the Occasion of "**CENTENARY COMMEMORATION OF MAHATMA GANDHI'S RETURN FROM SOUTH AFRICA**" Rules, 2014.

   (2) They shall come into force on the date of their publication in the Official Gazette.

2. **Denomination of coins** .- The coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government to commemorate the occasion of "**CENTENARY COMMEMORATION OF MAHATMA GANDHI'S RETURN FROM SOUTH AFRICA**", namely:—
   (i) One Hundred Rupees;
   (ii) Ten Rupees.
3. **Dimension and composition of coins** .- The coins of the denominations mentioned in rule 2 shall conform to the following dimensions and composition, namely:—

Denomination of coin	Shape and outside diameter	Number of serrations	Metal composition
(1)	(2)	(3)	(4)
One Hundred Rupees	Circular 44 millimeter	200	**Quaternary Alloy** Silver - 50 per cent. Copper - 40 per cent. Nickel - 05 per cent. Zinc - 05 per cent.
Ten Rupees	Circular 27 millimeter (Bi- metallic)	---	**Outer Ring (Aluminium Bronze)** Copper - 92 per cent. Aluminum -06 per cent. Nickel - 02 per cent. **Center Piece (Cupro Nickel)** Copper – 75 per cent. Nickel – 25 per cent.

4. Design. – The design of the coins shall be as under:—

(i) ONE HUNDRED RUPEES

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "**सत्यमेव जयते**" inscribed below, flanked on the left upper periphery with the word " **भारत** " in Devnagri script and on the right upper periphery with the word "INDIA" in English, and it shall also bear the Rupee symbol "₹" and denominational value "**100**" in international numerals below the Lion Capitol.

REVERSE:

The face of the coin shall bear the dual portrait of "MAHATMA GANDHI" in the centre, with inscription **"महात्मा गांधी"** in Devnagri and below which "MAHATMA GANDHI" in English at right top periphery of dual portrait, the inscription "RETURN FROM SOUTH AFRICA" and "CENTENARY COMMEMORATION" in English shall be on right upper periphery and right lower periphery respectively and the words "**दक्षिण अफ़्रीका से वापसी**" **and** "**शताब्दी स्मरणोत्सव"** in Devnagri shall be flanked on left upper periphery and left lower periphery respectively, and the year "1915 & 2015" in international numerals shall be flanked respectively on left middle and right middle periphery of the coin.

(ii) TEN RUPEES

OBVERSE:

The face of the coin shall bear the Lion Capitol of Ashoka Pillar in the centre with the legend "**सत्यमेव जयते**" inscribed below, flanked on the left upper periphery with the word " **भारत** " in Devnagri script and on the right upper periphery with the word "INDIA" in English, and it shall also bear the Rupee symbol "₹" and denominational value "**10**" in international numerals below the Lion Capitol.

REVERSE:

The face of the coin shall bear the dual portrait of "MAHATMA GANDHI" in the centre, with inscription **"महात्मा गांधी"** in Devnagri and below which "MAHATMA GANDHI" in English at right top periphery of dual portrait, the inscription "RETURN FROM SOUTH AFRICA" and "CENTENARY COMMEMORATION" in English shall be on right upper periphery and right lower periphery respectively and the words "**दक्षिण अफ़्रीका से वापसी**" **and** "**शताब्दी स्मरणोत्सव"** in Devnagri shall be flanked on left upper periphery and left lower periphery respectively, and the year "1915 & 2015" in international numerals shall be flanked respectively on left middle and right middle periphery of the coin.

5. Standard weight and remedy allowed .- The standard weight of the coins of the following denominations, coined to commemorate the occasion of "**CENTENARY COMMEMORATION OF MAHATMA GANDHI'S**

RETURN FROM SOUTH AFRICA" and the remedy allowed in making of such coins shall be as specified in the Table below:-

TABLE

Denomination of Coin	Standard weight	Remedy allowed	
		In composition	In standard weight
(1)	(2)	(3)	(4)
One Hundred Rupees	35 Grams	1/500th plus or minus for silver, that is to say the Silver content may vary from 498 to 502 per 1000.	1/100th plus or minus that is to say weight could be 34.65grams to 35.35 grams.
Ten Rupees	7.71 Grams (Outer Ring 4.45 grams and Centre Piece 3.26 grams)	**Outer Ring (Aluminium Bronze)** Aluminium –5.5 per cent. to 6 per cent. Nickel – 1.75 per cent. to 2 per cent. and remainder are Copper. **Centre Piece (Cupro - Nickel)** Plus or Minus 1 per cent. for both Copper and Nickel, that is to say, the Copper may vary from 74 per cent. to 76 per cent. and Nickel may vary from 24 per cent. to 26 per cent.	Plus or minus 2.5 Percent that is to say, weight could vary from 7.52 grams to 7.90 grams.

[F. No. 04/05/2014-Coin]

PANKAJ GUPTA, Under Secy., (SPMC & Coin)

IndiaCode

Printed by the Manager, Government of India Press, Ring Road, Mayapuri, New Delhi-110064
and Published by the Controller of Publications, Delhi-110054.